

Continue



Use of atrogin-1 and MuRF1 prevents dexamethasone-induced atrophy of cultured myotubes. *Metabolism*. 2013;62:1495-1502. doi: 10.1016/j.metabol.2013.05.018. [DOI] [PubMed] [Google Scholar]16. Centner T, Yano J, Kimura E, McElhinny AS, Pelin K, Witt CC, Bang ML, Trombitas K, Granzier H, Gregoric CC, Sormachi H, Labelt S. Identification of muscle-specific, ring finger domain-containing regions of the titin kinase domain. *J Mol Biol*. 2009;376:717-726. doi: 10.1016/j.jmb.2009.04.044. [DOI] [PubMed] [Google Scholar]17. Cossali M, Kritchevsky SB, Baumgartner RN, Wilkinson RW, Lenchik L, Palla SL, Amthor RW, Lenchik L, Tracy RP, Patsch M. Sarcopenia, obesity, and inflammation—results from the trial of angiotensin converting enzyme inhibition and novel cardiovascular risk factors study. *Am J Clin Nutr*. 2005;82:4284-94. doi: 10.1093/ajcn/82.4.28. [DOI] [PubMed] [Google Scholar]18. Ceumbras A, Baumgartner RN, Kooijman R, Hachimi-Idrissi S, Sarre S, Michotte Y. The dual role of the neuroinflammatory response after ischemic stroke: modulatory effects of hypothermia. *J Neuroinflammation*. 2010;7:74. doi: 10.1186/1742-2094-7-74. [DOI] [PMC free article] [PubMed] [Google Scholar]19. Charalambous CC, Bowden MG, Adkins DL, Motor cortex and motor cortical interhemispheric communication in walking after stroke: the roles of transcranial magnetic stimulation and animal models in our current and future understanding. *Neurorehabil Neural Repair*. 2016;30:941-02. doi: 10.1177/1545968315581418. [DOI] [PMC free article] [PubMed] [Google Scholar]20. Chen G, Leak RK, Sun Q, Zhang JH, Chen J. Neurobiology of stroke: research progress and perspectives. *Prog Neurobiol*. 2018a;163:164-14. doi: 10.1016/j.pneurobio.2018.05.003. [DOI] [PubMed] [Google Scholar]21. Chen M, Liu T, Chen XJ, Zhou Y, Chen Q, Feng XY, Liu D, Duan WH, Xiong ZQ. Differential roles of NMDA receptor subtypes in ischemic neuronal cell death and ischemic tolerance. *Stroke*. 2008;39:3042-3048. doi: 10.1161/STROKEAHA.108.521898. [DOI] [PubMed] [Google Scholar]22. Chen M, Chen YL, Lee CF, Jiang CH, Chou TC. Supplementation of magnoliol attenuates skeletal muscle atrophy in bladder cancer-bearing mice undergoing chemotherapy via suppression of FoxO3 activation and induction of IGF-1. *PLoS One*. 2015;10:e0143594. doi: 10.1371/journal.pone.0143594. [DOI] [PMC free article] [PubMed] [Google Scholar]23. Chen R, Xu J, Feng T, Zhou S, Shi H, Li C. Neurostatin-1 protects C2C12 myotubes from CoCl2-induced hypoxia. *Int J Mol Med*. 2018b;41:2565-2572. doi: 10.3892/ijmm.2018.3466. [DOI] [PMC free article] [PubMed] [Google Scholar]24. Chen X, Guo Y, Jia G, Zhao H, Huang Z. Arginine promotes skeletal muscle fiber type transformation from fast-twitch to slow-twitch via Akt/AMPK pathway. *J Biol Biochem*. 2017;17:1551-162. doi: 10.1016/j.jbb.2018.09.007. [DOI] [PubMed] [Google Scholar]25. Chong ZZ, Shang YC, Wang S, Maiese K. A critical kinase cascade in neurologic disuse atrophy. *Future Neuro*. 2021;7:733-749. doi: 10.1111/fns.12772. [DOI] [PMC free article] [PubMed] [Google Scholar]26. Cicilioti S, Rossi AC, Dryar KA, Blaauw B, Schiaffino M. Muscle type and fiber type specificity in muscle wasting. *Int J Biochem Cell Biol*. 2013;45:2191-2199. doi: 10.1016/j.ijbc.2013.05.016. [DOI] [PubMed] [Google Scholar]27. Clarke BA, Dzau VJ, Willis MS, Murphy LO, Corina RA, Burova E, Rakhlin SV, Stitt TN, Patterson C, Latres E, Glass DJ. The E3 ligase MuRF1 degrades myosin heavy chain protein in dexamethasone-treated skeletal muscle. *Cell Metab*. 2007;6:376-385. doi: 10.1016/j.cmet.2007.09.009. [DOI] [PubMed] [Google Scholar]28. Conrad MO, Qiu D, Hoffmann G, Zou P, Kamper DJ. Analysis of muscle fiber conduction velocity during finger flexion and extension after stroke. *Top Stroke Rehabil*. 2017;24:262-268. doi: 10.1080/1079357.2016.1277482. [DOI] [PMC free article] [PubMed] [Google Scholar]29. Crane JD, Devries MC, Saffar A, Hamadeh MJ, Tarnopolsky MA. The effect of aging on human skeletal muscle mitochondrial and intramyocellular lipid ultrastructure. *J Gerontol A Biol Sci Med Sci*. 2010;65:1191-28. doi: 10.1093/gerona/glp119. [DOI] [PubMed] [Google Scholar]30. Cruz-Jentoft AJ, Sayer AA. Sarcopenia. *Lancet*. 2019;393:2636-2646. doi: 10.1016/S0140-6736(19)31138-9. [DOI] [PubMed] [Google Scholar]31. Dattola R, Girlanda P, Vita G, Santoro M, Roberto ML, Toscano A, Venuto C, Baradello A, Messina C. Muscle rearrangement in patients with hemiparesis after stroke: an electrophysiological and morphological study. *Eur Neuro*. 1993;33:1091-14. doi: 10.1159/000116915. [DOI] [PubMed] [Google Scholar]32. Dawson-Hughes B, Vitamin D and muscle function. *J Steroid Biochem Mol Biol*. 2017;173:3133-16. doi: 10.1016/j.sjbsmb.2017.03.018. [DOI] [PubMed] [Google Scholar]33. DeGregorio-Rocasalano N, Mart-Sistac O, Ponce J, Castell-Ruiz M, Milln M, Guirao V, Garcia-Ybenes I, Salom JB, Ramos-Cabrer P, Alborch E, Lizasoain I, Castillo J, Dvalos A, Gasull T. Iron-loaded transferrin (Tf) is detrimental whereas iron-free Tf confers protection against brain ischemia by modifying blood Tf saturation and subsequent neuronal damage. *Redox Biol*. 2016;11:431-58. doi: 10.1016/j.redox.2016.11.026. [DOI] [PMC free article] [PubMed] [Google Scholar]34. Deshmukh AS, Stuenkel DL, Hostrop M, Burk JB, Larsen J, Santos A, Kibstedt H, Schele J, Schaefer C, Murgija M, Kiens B, Richter EA, Mann M, Wojtaszewski JF-P. Deep muscle proteomic analysis of freeze-dried human muscle biopsies reveals fiber-type specific adaptations to exercise training. *Nat Commun*. 2021;12:304. doi: 10.1038/s41467-020-21558-6. [DOI] [PMC free article] [PubMed] [Google Scholar]35. Di Marco S, Magari R, Dall'aria P, Chittur S, Tenenbaum SA, Radzoch D, Marette A, Gallouzi E. NF-kappa B-mediated MyoD decay during muscle wasting requires nitric oxide synthase mRNA stabilization, HuR protein, and nitric oxide release. *Mol Cell Biol*. 2005;25:6536-6545. [DOI] [PMC free article] [PubMed] [Google Scholar]36. Dirnagl U, Iadecola C, Moskowitz MA. Pathobiology of ischemic stroke: an integrated view. *Trends Neurosci*. 1999;22:391-397. doi: 10.1016/s0166-2236(99)01401-0. [DOI] [PubMed] [Google Scholar]37. Dobrowolny G, Accello M, Rizzuto E, Becaricco S, Mammucari C, Boncompagni S, Belia S, Wannenes F, Nicoletti C, Del Prete Z, Rosenthal N, Molinaro M, Protasi F, Fan G, Sandri M, Musar A. Skeletal muscle is a primary target of SOD1G93A-mediated toxicity. *Cell Metab*. 2008;8:425-436. doi: 10.1016/j.cmet.2008.09.002. [DOI] [PubMed] [Google Scholar]38. Dolan E, Artioli GG, Pereira RMH, Gualano B. Muscular atrophy and Sarcopenia in the elderly: is there a role for creatine supplementation? *Biomeolecules*. 2019;9:642. doi: 10.3390/biom9110642. [DOI] [PMC free article] [PubMed] [Google Scholar]39. Dreyer M, Krieger B, Sieber CC, Bauer JM, Hettner S, Bertsch T, DISARCO Study Group. Motor neuron loss is associated with sarcopenia. *J Am Med Dir Assoc*. 2014;15:435-439. doi: 10.1016/j.jamda.2014.02.002. [DOI] [PubMed] [Google Scholar]40. English C, McLennan H, Thoirs K, Coates A, Bernhardt J. Loss of skeletal muscle mass after stroke: a systematic review. *Int J Stroke*. 2010;5:395-402. doi: 10.1111/j.1747-4949.2010.00467.x. [DOI] [PubMed] [Google Scholar]41. English C, Thoirs K, Coates A, Ryan A, Bernhardt J. Changes in fat mass in stroke survivors: a systematic review. *Int J Stroke*. 2012;7:491-498. doi: 10.1111/j.1747-4949.2012.00824.x. [DOI] [PMC free article] [PubMed] [Google Scholar]42. Fang WY, Tseng YJ, Lu YC, Chang WH, Lu WW, Lin CL, Lo YC. Triptolide prevents LPS-induced skeletal muscle atrophy via inhibiting NF- κ B/NF- κ B-regulating protein1 ubiquitination pathway. *Br J Pharmacol*. 2021;78:2998-3016. doi: 10.1111/bph.15742. [DOI] [PubMed] [Google Scholar]43. Fei J, Liang B, Jiang C, Ni H, Wang L. Luteolin inhibits IL-1-induced inflammation in rat chondrocytes and attenuates osteoarthritis progression in a rat model. *Biomed Pharmacother*. 2019;109:15861-582. doi: 10.1016/j.biopha.2018.09.161. [DOI] [PubMed] [Google Scholar]44. Ferrandi PP, Khan MM, Paez HG, Pitzer CR, Alway SE, Mohamed JS. Transcriptome analysis of skeletal muscle reveals altered proteolytic and neuromuscular junction associated gene expressions in a mouse model of cerebral ischemic stroke. *Genes (Base)*. 2020;11:726. doi: 10.3390/genes11070726. [DOI] [PMC free article] [PubMed] [Google Scholar]45. Ferriero DM, Fullerton HJ, Bernard TJ, Billingham-Lust L, Daniels SR, DeBaun MR, deVeber G, Ichord RN, Jordan LC, Massicotte P, Meldau J, Roach ES, Smith ER. American Heart Association Stroke Council and Council on Cardiovascular and Stroke Nursing. Management of stroke in neonates and children: a scientific statement from the American Heart Association/American Stroke Association. *Stroke*. 2019;50:e15e196. doi: 10.1161/STR.0000000000000183. [DOI] [PubMed] [Google Scholar]46. Finaud J, Lac G, Filaire E. Oxidative stress: relationship with exercise and training. *Sports Med*. 2006;36:327-358. doi: 10.2165/00007256-200636040-00004. [DOI] [PubMed] [Google Scholar]47. Gao Y, Yu C, Pi S, Mao L, Hu B. The role of P2Y1(2) receptor in ischemic stroke of atherosclerotic origin. *Cell Mol Life Sci*. 2019;376:341-354. doi: 10.1007/s00118-018-2937-2. [DOI] [PMC free article] [PubMed] [Google Scholar]48. Garber CE, Blissmer B, Deschenes MR, Franklin BA, Lamonte MJ, Lee IM, Nieman DC, Swain DP. American College of Sports Medicine. American College of Sports Medicine position stand. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: guidance for prescribing exercise. *Med Sci Sports Exerc*. 2011;43:1334-1359. doi: 10.1249/MSS.0b013e318213feb3. [DOI] [PubMed] [Google Scholar]49. Garcia M, Selaender M, Sotiropoulos A, Coletti D, Lanca AH, Jr. Vitamin D, muscle recovery, sarcopenia, cachexia, and muscle atrophy. *Nutrition*. 2019;60:666-69. doi: 10.1016/j.nut.2018.09.031. [DOI] [PubMed] [Google Scholar]50. Ge Z, Liu D, Shang Y, Li Y, Chen SZ. Magnoliol inhibits myotube atrophy induced by cancer cachexia through myostatin signaling pathway in vitro. *J Mol Med*. 2020;74:741-749. doi: 10.1007/s11418-020-01428-3. [DOI] [PubMed] [Google Scholar]51. Guedes AC, Amaro HM, Malcata FJ. Microalgae as sources of carotenoids. *Mar Drugs*. 2021;19:6256-644. doi: 10.3390/md19040625. [DOI] [PMC free article] [PubMed] [Google Scholar]52. Guessenin M, Tiano L, Genova ML, Polidori E, Silvestri S, Orlando P, Finognari C, Calcarini C, Stocchi V, Sestili P. The combination of physical exercise with muscle-derived antioxidants to counteract sarcopenia: a biomedical rationale for pleiotropic treatment with creatine and coenzyme Q10. *Oxid Med Cell Longev*. 2017;2017:7083049. doi: 10.1155/2017/7083049. [DOI] [PMC free article] [PubMed] [Google Scholar]53. Hafer-Macko CE, Ryan AS, Ivey FM, Macko RF. Skeletal muscle changes after hemiparetic stroke and potential beneficial effects of exercise intervention strategies. *J Rehabil Res Dev*. 2008;45:261-272. doi: 10.1682/jrrd.2007.02.0040. [DOI] [PMC free article] [PubMed] [Google Scholar]54. Harrison JK, McArthur KS, Quinn TJ. Assessment scales in stroke: clinimetric and clinical considerations. *Clin Interv Aging*. 2013;8:201-211. doi: 10.2147/CIA.S32405. [DOI] [PMC free article] [PubMed] [Google Scholar]55. Haruyama K, Kawakami M, Otsuka T. Effect of core stability training on trunk function, standing balance, and mobility in stroke patients. *Neurorehabil Neural Repair*. 2017;31:2020-29. doi: 10.1177/1545968316675431. [DOI] [PubMed] [Google Scholar]56. Hayes S, Forbes JF, Celi-Marcos C, Anderson J, Ferguson L, Gill JMR, Gray S, Hastie C, Ilidromoti S, Lyall D, Pellicori P, Sattar N, Welsh CE, Pell J. Association between walking pace and stroke incidence: findings from the UK Biobank Prospective Cohort Study. *Stroke*. 2020;51:1388-1395. doi: 10.1161/STROKEAHA.119.028064. [DOI] [PubMed] [Google Scholar]57. Hidler JM, Carroll M, Federovich EH. Strength and coordination in the paretic leg of individuals following acute stroke. *IEEE Trans Neural Syst Rehabil Eng*. 2007;15:265-274. doi: 10.1109/TNSRE.2007.907689. [DOI] [PubMed] [Google Scholar]58. Hokek M. Beta-hydroxy-beta-methylglutaryl coenzyme A (BHB) and its role in protein synthesis/degredation pathway. *Br J Pharmacol*. 2021;78:2998-3016. doi: 10.1021/acs.jafc.7b01735. [DOI] [PubMed] [Google Scholar]59. Keller J, Ringseis R, Koc A, Lukas I, Kluge H, Eder K. Supplementation with L-carnitine downregulates genes of the ubiquitin proteasome system in the skeletal muscle and liver of piglets. *Animal*. 2012;6:7078. doi: 10.1017/S1751751311100327. [DOI] [PubMed] [Google Scholar]60. Kelwick R, Desantis I, Hecker GN, Edwards DR. The ADAMTS (A Disintegrin and Metalloproteinase with Thrombospondin motifs) family. *Genome Biol*. 2015;16:113. doi: 10.1186/s13059-015-0676-3. [DOI] [PMC free article] [PubMed] [Google Scholar]62. Kernan WN, Ovbiagele B, Black HR, Bravata DM, Chimowitz MI, Ezekowitz MD, Fang MC, Fisher M, Furie KL, Wee DL, Johnston SC, Kasner SE, Kittner SJ, Mitchell PH, Rich MW, Richardson D, Schwamm LH, Wilson JA. American Heart Association Stroke Council, Council on Cardiovascular and Stroke Nursing (2014). Guidelines for the prevention of stroke in patients with stroke and transient ischemic attack: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2014;45:2061-2236. doi: 10.1161/STR.0000000000000024. [DOI] [PubMed] [Google Scholar]63. Kim JH, Choi TG, Park S, Yun HR, Nguyen NM, Jo YH, Jang M, Kim J, Kim J, Kang I, Ha J, Murphy MP, Tang DC, Kim SS. Mitochondrial ROS-derived PENT oxidation activates PK K pathway for mTOR-induced myogenic atrophy. *Cel Death Differ*. 2018;25:1921-1937. doi: 10.1038/s41418-018-0019-9. [DOI] [PMC free article] [PubMed] [Google Scholar]64. Kirwan P, Coupar F, Pollock A. Motor recovery after stroke: a systematic review. *Lancet Neurol*. 2009;8:741-754. doi: 10.1016/S1473-4422(09)70150-4. [DOI] [PubMed] [Google Scholar]65. Larsson L, Grimby G, Karlsson J. Muscle strength and speed of movement in relation to age and muscle morphology. *J Appl Physiol Respir Environ Exerc Physiol*. 1979;46:45-1456. doi: 10.1152/jappl.1979.46.3.511. [DOI] [PubMed] [Google Scholar]66. Larsson L, Degens H, Li M, Salvati L, Lee Y, Thompson W, Kirkland JL, Sandri M. Sarcopenia: aging-related loss of muscle mass and function. *Physiol Rev*. 2019;99:4275-511. doi: 10.1152/physrev.00061.2017. [DOI] [PMC free article] [PubMed] [Google Scholar]67. Lee H, Lim JY, Choi SJ. Oleate prevents palmitate-induced atrophy via modulation of mitochondrial ROS production in skeletal myotubes. *Oxid Med Cell Longev*. 2017;2017:2379721. doi: 10.1155/2017/2379721. [DOI] [PMC free article] [PubMed] [Google Scholar]68. Levin MF, Kleim JA, Wolf SL. What do motor recovery and compensation mean in patients following stroke? *Neurorehabil Neural Repair*. 2009;23:313-319. doi: 10.1177/1545968308328272. [DOI] [PubMed] [Google Scholar]69. Liu J, Chan MC, Yu Y, Bei Y, Chen P, Zhou Q, Cheng L, Chen L, Ziegler O, Rowe GC, Das S, Xiao J. miR-29b contributes to multiple types of muscle atrophy. *Nat Commun*. 2017;8:15201. doi: 10.1038/ncomms15201. [DOI] [PMC free article] [PubMed] [Google Scholar]70. Li S, Francisco GE, Zhou P. Post-stroke hemiplegic gait: new perspective and insights. *Front Physiol*. 2019;9:1021. doi: 10.3389/fphys.2018.01021. [DOI] [PMC free article] [PubMed] [Google Scholar]71. Liu W, Yue T, Liu Y. New understanding of the pathogenesis and treatment of stroke-related sarcopenia. *Biomed Pharmacother*. 2020;131:107201. doi: 10.1016/j.biopha.2020.107201. [DOI] [PubMed] [Google Scholar]72. Liu YC, Groehler M, Pandey MG. Quantitative evaluation of the major determinants of human gait. *J Biomech*. 2014;47:1324-1331. doi: 10.1016/j.jbiomech.2014.02.002. [DOI] [PubMed] [Google Scholar]73. Liu G, Dettloff MR, Miller KN, Santi L, Hou JD. Exercise modulates microRNAs that affect the Pten/mTOR pathway in rats after spinal cord injury. *Exp Neurol*. 2012;233:447-456. doi: 10.1016/j.expneurol.2012.02.016. [DOI] [PubMed] [Google Scholar]74. Kirk B, Feehan J, Lombardi G, Duque G. Muscle, bone, and fat: the biological role of myokines osteokines and adipokines. *Curr Osteoporos Rep*. 2013;12:388-400. doi: 10.1007/s11914-020-00599-y. [DOI] [PubMed] [Google Scholar]75. Knops M, Werner CG, Scherhagov N, Fiebach J, Dreier JP, Meisel A, Heuschmann PU, Jangehlshilf J, von Haehling S, Dirnagl U, Anker SD, Doehner W. Investigation of changes in body composition, metabolic profile and skeletal muscle functional capacity in ischemic stroke patients: the rationale and design of the Body Size in Stroke Study (BOSS) J Cachexia Sarcopenia Muscle. 2013;4:190-207. doi: 10.1007/s13539-013-0103-0. [DOI] [PMC free article] [PubMed] [Google Scholar]76. Konopka AR, Harber MP. Skeletal muscle hypertrophy after aerobic exercise training. *Exerc Sport Sci Rev*. 2014;42:5361. doi: 10.1249/ESP.000000000000007. [DOI] [PMC free article] [PubMed] [Google Scholar]77. Kortebein P, Ferrando A, Lombardi J, Wolf R, Evans WJ. Effect of 10 days of bed rest on skeletal muscle in healthy older adults. *JAMA*. 2007;297:1727-1734. doi: 10.1001/jama.297.16.1772-b. [DOI] [PubMed] [Google Scholar]78. Kostka T. Quadriceps maximal power and optimal shortening velocity in 335 men aged 23-88 years. *Exp J Appl Physiol*. 2005;95:1401-45. doi: 10.1007/s00421-005-1390-8. [DOI] [PubMed] [Google Scholar]79. Kristensen J, Birn I, Mechlénburg I. Fractures after stroke-A Danish register-based study of 106 001 patients. *Acta Neuro Scand*. 2020;141:4755. doi: 10.1111/ane.13172. [DOI] [PubMed] [Google Scholar]80. Kumar A, Bhatnagar S, Paul PK. TWEAK and TRAF6 regulate skeletal muscle atrophy. *Curr Opin Clin Nutr Metab Care*. 2012;15:233-239. doi: 10.1097/MCO.0b013e31823851c3fc. [DOI] [PMC free article] [PubMed] [Google Scholar]81. Kumar S, Selim MH, Caplan LR. Medical complications after stroke. *Lancet Neurol*. 2010;9:1051-18. doi: 10.1016/S1473-4422(09)70266-2. [DOI] [PubMed] [Google Scholar]82. Kwah LK, Diong J. National Institutes of Health Stroke Scale (NIHSS) J Physiother. 2014;6:6:61. doi: 10.1016/j.jphys.2013.12.012. [DOI] [PubMed] [Google Scholar]83. Lang T, Streeter T, Cawthon P, Baldwin K, Taffeir D, Harris TB. Sarcopenia: etiology, clinical consequences, and assessment. *Osteoporos Int*. 2010;21:1535-59. doi: 10.1007/s00198-009-0959-y. [DOI] [PMC free article] [PubMed] [Google Scholar]84. Langitong P, Coupar F, Pollock A. Motor recovery after stroke: a systematic review. *Lancet Neurol*. 2009;8:741-754. doi: 10.1016/S1473-4422(09)70150-4. [DOI] [PubMed] [Google Scholar]85. Larsson L, Grimby G, Karlsson J. Muscle strength and speed of movement in relation to age and muscle morphology. *J Appl Physiol Respir Environ Exerc Physiol*. 1979;46:45-1456. doi: 10.1152/jappl.1979.46.3.511. [DOI] [PubMed] [Google Scholar]86. Larsson L, Degens H, Li M, Salvati L, Lee Y, Thompson W, Kirkland JL, Sandri M. Sarcopenia: aging-related loss of muscle mass and function. *Physiol Rev*. 2019;99:4275-511. doi: 10.1152/physrev.00061.2017. [DOI] [PMC free article] [PubMed] [Google Scholar]87. Lee H, Lim JY, Choi SJ. Oleate prevents palmitate-induced atrophy via modulation of mitochondrial ROS production in skeletal myotubes. *Oxid Med Cell Longev*. 2017;2017:2379721. doi: 10.1155/2017/2379721. [DOI] [PMC free article] [PubMed] [Google Scholar]88. Levin MF, Kleim JA, Wolf SL. What do motor recovery and compensation mean in patients following stroke? *Neurorehabil Neural Repair*. 2009;23:313-319. doi: 10.1177/1545968308328272. [DOI] [PubMed] [Google Scholar]89. Liu J, Chan MC, Yu Y, Bei Y, Chen P, Zhou Q, Cheng L, Chen L, Ziegler O, Rowe GC, Das S, Xiao J. miR-29b contributes to multiple types of muscle atrophy. *Nat Commun*. 2017;8:15201. doi: 10.1038/ncomms15201. [DOI] [PMC free article] [PubMed] [Google Scholar]90. Li S, Francisco GE, Zhou P. Post-stroke hemiplegic gait: new perspective and insights. *Front Physiol*. 2019;9:1021. doi: 10.3389/fphys.2018.01021. [DOI] [PMC free article] [PubMed] [Google Scholar]91. Liu W, Yue T, Liu Y. New understanding of the pathogenesis and treatment of stroke-related sarcopenia. *Biomed Pharmacother*. 2020;131:107201. doi: 10.1016/j.biopha.2020.107201. [DOI] [PubMed] [Google Scholar]92. Liu YC, Groehler M, Pandey MG. Quantitative evaluation of the major determinants of human gait. *J Biomech*. 2014;47:1324-1331. doi: 10.1016/j.jbiomech.2014.02.002. [DOI] [PubMed] [Google Scholar]93. Liu G, Dettloff MR, Miller KN, Santi L, Hou JD. Exercise modulates microRNAs that affect the Pten/mTOR pathway in rats after spinal cord injury. *Exp Neurol*. 2012;233:447-456. doi: 10.1016/j.expneurol.2012.02.016. [DOI] [PubMed] [Google Scholar]94. Langitong P, Coupar F, Pollock A. Motor recovery after stroke: a systematic review. *Lancet Neurol*. 2009;8:741-754. doi: 10.1016/S1473-4422(09)70150-4. [DOI] [PubMed] [Google Scholar]95. Liu SW, Liu QY, Yang ZB, Duan CQ, Zhang BY, Tan Y, Ai CS, Jiang HQ, Feng XG, Kong NH. Rhythmic auditory stimulation for non-acute dyskinesia in stroke patients. *Zhongguo Zuzhi Gongcheng Yanjiu*. 2020;23:7558-3588. [DOI] [PubMed] [Google Scholar]96. Liu WJ, Lin LF, Chiang SL, Lu LH, Chen CY, Lin CH. Impacts of stroke on muscle perceptions and functional performance of the lower extremities. *Sensors (Base)*. 2021;21:21. doi: 10.3390/s21144740. [DOI] [PMC free article] [PubMed] [Google Scholar]97. Long J, Jia MY, Fang WY, Chen XJ, Mu LL, Wang ZY, Shen Y, Xiang RF, Wang LN, Wang L, Jiang CH, Jiang JL, Zhang WY, Sun YD, Chang L, Gao WH, Wang Y, Li JM, Hong DL, Liang AB, et al. FLT3 inhibition upregulates HDAC8 via FOXO to inactivate p53 and promote maintenance of FLT3-TD-acute myeloid leukaemia. *Blood*. 2020;135:1472-1483. doi: 10.1182/blood.2019003538. [DOI] [PubMed] [Google Scholar]98. Looney DP, Potter AW, Pryor JL, Bremner PE, Chalmers CR, McClung LH, Welles AP, Santee WR. Metabolic costs of standing and walking in healthy military-age adults: a meta-regression. *Med Sci Sports Exerc*. 2019;51:3463-51. doi: 10.1249/MSS.0000000000000177. [DOI] [PubMed] [Google Scholar]99. Luft AR, Forrester L, Macko RF, McCombe-Waller S, Whittall J, Villagra F, Hanley DF. Brain activation of lower extremity movement in chronically impaired stroke survivors. *Neuroimage*. 2005;26:1841-94. doi: 10.1016/j.neuroimage.2005.01.027. [DOI] [PubMed] [Google Scholar]100. Masiero E, Agatea L, Mammucari A, Blaauw B, Loro E, Komatsu M, Metzger D, Reggiani C, Schiaffino S, Sandri M. Autophagy is required to maintain muscle mass. *Cell Metab*. 2009;10:507-515. doi: 10.1016/j.cmet.2009.10.008. [DOI] [PubMed] [Google Scholar]101. McColl BW, Rothwell NJ, Allan SM. Systemic inflammation alters the kinetics of cerebrovascular tight junction disruption after experimental stroke in mice. *J Neurosci*. 2008;28:9451-9462. doi: 10.1523/JNEUROSCI.2674-08.2008. [DOI] [PMC free article] [PubMed] [Google Scholar]102. Mentipal BF, Perraton LC, Bower KJ, Adair B, Pua YH, Williams GP, McGaw R, Clark RA. Assessment of lower limb muscle strength and power using hand-held and fixed dynamometry: a reliability and validity study. *PLoS One*. 2015;10:e0140822. doi: 10.1371/journal.pone.0140822. [DOI] [PMC free article] [PubMed] [Google Scholar]103. Minn YK, Suk SH. Higher skeletal muscle mass may protect against ischemic stroke in community-dwelling adults without stroke and dementia: the PRESENT project. *BMC Geriatr*. 2017;17:45. doi: 10.1186/s12877-017-0433-4. [DOI] [PMC free article] [PubMed] [Google Scholar]104. Mittal A, Bhatnagar S, Kumar A, Lach-Trifilieff E, Wauters S, Li H, Makonchuk DV, Glass DJ, Kumar A. The TWEAK-Fn14 system is a critical regulator of denervation-induced skeletal muscle atrophy in mice. *J Cell Biol*. 2010;188:838-49. doi: 10.1083/jcb.200909117. [DOI] [PMC free article] [PubMed] [Google Scholar]105. Moretti A, Ferrari F, Villa RF. Neuroprotection for ischaemic stroke: current status and challenges. *Pharmacol Ther*. 2015;146:233-4. doi: 10.1016/j.pharmthera.2014.09.003. [DOI] [PubMed] [Google Scholar]106. Morley JE, Abbatecola AM, Argiles JM, Baracos V, Bauer J, Bhasin S, Cederholm T, Coats AJ, Cummings SR, Evans WJ, Fearon K, Ferrucci L, Fielding RA, Guralnik JM, Harris TB, Inui A, Kalantar-Zadeh K, Kirwan BA, Mantovani G, Muscaritoli M, et al. Sarcopenia with limited mobility: an international consensus. *J Am Med Dir Assoc*. 2011;12:403-409. doi: 10.1016/j.jamda.2011.04.014. [DOI] [PMC free article] [PubMed] [Google Scholar]107. Murphy SA, Negro F, Farina D, Onushko T, Durand M, Hunter SK, Schmitz BD, Hingstrom A. Stroke increases ischemia-related decreases in motor unit discharge rates. *J Neurophysiol*. 2018;120:3246-3256. doi: 10.1152/jn.00923.2017. [DOI] [PMC free article] [PubMed] [Google Scholar]108. Nakahara S, Takasaki M, Abe S, Kakitani C, Nishioka S, Wakabayashi H, Maeda K. Aggressive intrathecal therapy in malnutrition and sarcopenia. *Nutrition*. 2021;84:111109. doi: 10.1016/j.nut.2020.11.109. [DOI] [PubMed] [Google Scholar]109. Nakamura S, Sato Y, Kobayashi T, Kaneko Y, Ito E, Soma T, Okada H, Miyamoto K, Oya A, Matsumoto M, Nakamura M, Kanaji A, Miyamoto T. Vitamin D protects against immobilization-induced muscle atrophy via neuronal crest-derived cells in mice. *Sci Rep*. 2020;10:12242. doi: 10.1038/s41598-020-69021-y. [DOI] [PMC free article] [PubMed] [Google Scholar]110. Nishida Y, Wang K, Chen N, Zhang T, Luo J. A review of rehabilitation benefits of exercise training combine with nutrition supplement for improving protein synthesis and skeletal muscle strength in patients with cerebral stroke. *Nutrients*. 2022;14:4995. doi: 10.3390/nu14234995. [DOI] [PMC free article] [PubMed] [Google Scholar]111. Oh S, Yabashi T, Kaneko Y, Sato S, Kim S, Byun K. Dieckol attenuated glucocorticoid-induced muscle atrophy by decreasing NLRP3 inflammasome and pyroptosis. *Int J Mol Sci*. 2021;22:8057. doi: 10.3390/ijms22158057. [DOI] [PMC free article] [PubMed] [Google Scholar]112. Ojo O, Brooke J. The use of enteral nutrition in the management of stroke. *Nutrients*. 2016;8:827. doi: 10.3390/nu8120827. [DOI] [PMC free article] [PubMed] [Google Scholar]113. Okada T, Suzuki H. The role of tenascin-C in tissue injury and repair after stroke. *Front Immunol*. 2020;11:607587. doi: 10.3389/fimmu.2020.607587. [DOI] [PMC free article] [PubMed] [Google Scholar]114. Owen M, Ingo C, Dewald JPA. Upper extremity motor impairments and microstructural changes in bulbospinal pathways in chronic hemiparetic stroke. *Front Neurol*. 2017;8:257. doi: 10.3389/fneur.2017.00257. [DOI] [PMC free article] [PubMed] [Google Scholar]115. Pang MY, Ashe MC, Eng JJ. Muscle weakness, spasticity and disuse contribute to demineralization and geometric changes in the radius following chronic stroke. *Osteoporos Int*. 2007;18:1243-1252. doi: 10.1007/s00198-007-0372-6. [DOI] [PMC free article] [PubMed] [Google Scholar]116. Park JY, Wang PY, Matsumoto T, Sung HJ, Ma W, Choi JW, Anderson SA, Leary SC, Balaban RS, Kang JG, Hwang PM. p53 improves aerobic exercise capacity and augments skeletal muscle mitochondrial DNA content. *Circ Res*. 2009;105:7057-12. doi: 10.1161/CIRCRESAHA.109.205310. 711 p following 712. [DOI] [PMC free article] [PubMed] [Google Scholar]117. Peisker T, Koznar B, Stetkova R, Widmsky E. Acute stroke therapy: a review. *Trends Cardiovasc Med*. 2017;27:596-6. doi: 10.1016/j.tcm.2016.06.009. [DOI] [PubMed] [Google Scholar]118. Picca A, Calvani R, Boscchia M, Allocca E, Menghi A, Pesce V, Lezza AM, Bernabei R, Landi F, Marzetti L. Update of mitochondrial and muscle aging: all those roads lead to sarcopenia. *Biol Chem*. 2018;399:421-36. doi: 10.1515/bchm-2017-0331. [DOI] [PubMed] [Google Scholar]119. Powers SK, Lennon SL. Analysis of cellular responses to free radicals: focus on exercise and skeletal muscle. *Proc Nutr Soc*. 1999;58:1025-1033. doi: 10.1017/S0954579499001342. [DOI] [PubMed] [Google Scholar]120. Powers WJ, Derdeyn CP, Biller J, Coffey CS, Hoh BL, Jauch EC, Johnston KB, Johnston SC, Khalesi AA, Kidwell CS, Meschia JF, Ovbiagele B, Yavagal DR. American Heart Association Stroke Council. 2015 American Heart Association/American Stroke Association focused update of the 2013 guidelines for the early management of patients with acute ischemic stroke regarding endovascular treatment: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2015;46:3020-3035. doi: 10.1161/STR.0000000000000074. [DOI] [PubMed] [Google Scholar]121. Qi H, Li X, Zhang X, Li B, Tian D, Wang D, Yang R, Zeng N. Ischemic stroke induces skeletal muscle damage and alters transcriptome profile in rats. *J Clin Med*. 2023;12:547. doi: 10.3390/jcm12202547. [DOI] [PMC free article] [PubMed] [Google Scholar]122. Quan M, Xun P, Wang R, He K, Chen P. Walking pace and the risk of stroke: a meta-analysis of prospective cohort studies. *J Sport Health Sci*. 2020;9:2152-59. doi: 10.1016/j.jshs.2019.09.005. [DOI] [PMC free article] [PubMed] [Google Scholar]123. Quinn TJ, Langhorne P, Stott DJ. Barthel index for stroke trials: development, properties and application. *Stroke*. 2011;42:1146-151. doi: 10.1161/STROKEAHA.110.598540. [DOI] [PubMed] [Google Scholar]124. Ridker PM. From C-reactive protein to interleukin-6 to interleukin-1: moving upstream to identify novel targets for atheroprotection. *Circ Res*. 2016;118:1451-56. doi: 10.1161/CIRCRESAHA.115.306656. [DOI] [PMC free article] [PubMed] [Google Scholar]125. Ryan AS, Buscemi A, Forrester L, Hafer-Macko CE, Ivey FM. Atrophy and intramuscular fat in specific muscles of the thigh: associated weakness and hyperinflammation in stroke survivors. *Neurorehabil Neural Repair*. 2011;25:605-617. doi: 10.1177/1545968311408920. [DOI] [PMC free article] [PubMed] [Google Scholar]126. Sackeek JM, Hyatt JP, Raffaele A, Jaeger RT, Roy SH, Edgerton VR, Lecker SH, Goldberg AL. Rapid disuse and denervation atrophy involve transcriptional changes similar to those of muscle wasting during systemic diseases. *FASEB J*. 2007;21:140